MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910,1200)

IDENTIFICATION SYSTEM F = C + Dust Mask A = Safety Glasses 4 = Extreme Health.... 3 $\mathbf{B} = \mathbf{A} + \text{Gloves}$ G = B + Respirator **3** = High Flammability.... 0 C = B + ApronH = F + Goggles Reactivity.... 1 2 = Moderate D = C + Face Shield I = B + Respirator 1 = Slight Protection.... D

0 = Insignificant

SECTION I - PRODUCT IDENTIFICATION

Product Code: 699 Supersedes date: April 14, 2003 Effective date: July 14, 2004 Section(s) changed: I

PRODUCT NAME: POWER-BREAK PLUS CHEMICAL FAMILY: Alkaline Detergent GENERIC NAME: Builder/Break FORMULA: Proprietary Mixture DISTRIBUTORS ADDRESS: **DISTRIBUTORS NAME:**

X = Ask Supervisor

INFORMATION PHONE NUMBER: 314-771-6600

E = B + Dust Mask

EMERGENCY PHONE NUMBER IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE OR ACCIDENT: CHEMTREC 800-424-9300

PROPER SHIPPING DESCRIPTION: Caustic Alkali Liquid, n.o.s. (Contains potassium hydroxide, sodium hydroxide), 8, UN1719, II LABEL: Corrosive

SECTION II - HAZARDOUS INGREDIENTS CHEMICAL NAME CAS No. Wt% OSHA PEL **ACGIH TLV OTHER** Sodium Hydroxide 1310-73-2 <30 2 mg/m³ 2 mg/m³ Potassium Hydroxide 1310-58-3 <20 2 mg/m³ 2 mg/m³

The information & recommendations set forth herein are presented in good faith & believed to be current & reliable. The manufacturer makes no representation as to the completeness or accuracy thereof & supplies information upon the condition that the persons receiving same will make their own determination as to its suitability for their purpose prior to use. In no event will the manufacturer be responsible for any damage of any nature whatsoever resulting from the use of or reliance upon this information. No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which it refers.

SECTION III - PHYSICAL/CHEMICAL DATA SECTION IV - FIRE & EXPLOSION HAZARD DATA

Specific Gravity: 1.40 FLASH POINT (Method Used): None Boiling Point (°F): 210 LIMITS: LEL: NA UFI · NA Vapor Pressure (mm Hg): 17 Lbs/Gal Density: 11.7 EXTINGUISHING MEDIA: Water spray or fog, foam, dry chemical, carbon dioxide, alcohol foam, Vapor Density (Air=1): 0.62 pH Concentrate: 14 if product is involved. SPECIAL FIRE FIGHTING PROCEDURES: Avoid exposure to fumes or vapors. Wear self-

Evaporation Rate: (Water=1): GT 1.00 pH Use Dilution: 13 Solubility in Water: Complete

Physical Description: Clear Colorless Thin Liquid

Mild Odor

containers. Product will not burn but may splatter if temperature exceeds boiling point. **SECTION VI - STORAGE & HANDLING INFORMATION**

Other Precautions: Do not get in eyes, on skin or on clothing. Remove & wash

contained positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to

UNUSUAL FIRE & EXPLOSION HAZARD: Use water spray to cool adjacent fire exposed

HMIS HAZARDOUS MATERIALS

SECTION V - REACTIVITY DATA Stability: Stable. KEEP OUT OF REACH OF CHILDREN. DANGER. POISON. Hazardous Polymerization: Will not occur. Avoid all contact. Store upright in original closed container.

Incompatibility (Materials to Avoid): Strong acids.

Hazardous Decomposition Products: If burned, normal combustion products:

Carbon Dioxide, Carbon Monoxide; Nitrous Oxides.

SECTION VII - HEALTH HAZARDS AND FIRST AID

Carcinogenicity: NTP? OSHA REGULATED? IARC Monographs? NE ΝE NE YFS

EFFECTS OF OVEREXPOSURE: EMERGENCY FIRST AID PROCEDURES:

SKIN: Wash with soap & water for 15 minutes. See physician if burning persists. SKIN: Severe burns

EYES: Severe burns EYES: Flush with flowing water for 15 minutes & see physician.

INHALATION: Remove to fresh air. INHALATION: Severe burns

INGESTION: Severe burns INGESTION: Give milk or water to dilute material; DO NOT induce vomiting. Avoid alcohol. CALL A PHYSICIAN OR

POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS

contaminated clothing before reuse.

PERSON.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: (Specify type) N/A

VENTILATION: Normal room ventilation.

PROTECTIVE GLOVES: Impervious rubber, alkali proof.

EYE PROTECTION: Splash proof chemical goggles or face shield.

OTHER PROTECTIVE EQUIPMENT: Impervious rubber boots & apron. Eye wash facilities. Safety Shower.

WORK/HYGIENIC PRACTICES: Practice good personal hygiene. Wash after handling. Shower at end of work period.

SECTION IX - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Mop up & flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls. Neutralize with dilute acid or sodium bicarbonate.

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable Federal, State & Local regulations

SECTION X - ADDITIONAL FEDERAL REGULATIONS

SARA TITLE III (EPCRA) NOTIFICATION: Does not contain chemicals subject to the reporting requirements of Section 302, 304, or 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: SODIUM HYDROXIDE, POTASSIUM HYDROXIDE For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

NE - Not Established NA - Not Applicable GT - Greater Than

Manufactured by: Intercon Chemical Company 1100 Central Industrial Drive, St. Louis, MO 63110