MATERIAL SAFETY DATA SHEET

=================

_____ **SECTION I - PRODUCT IDENTIFICATION**

=======

=		=======				-	
-	•				HEALT	Н	2
						FLAMMABILITY	
Product Use:	Air freshener				REACT	IVITY	1
WHMIS Class:	Class D - Division 2B Class B - Division 5: Flammable Aerosol Class A - Compressed Gas					PERSONAL B PROTECTION	
TDG Classification:	AEROSOLS, fla	immable;	Class 2.1; UN195	0 – Limited Quar	ntity		
Manufacturer/Supplier:	Pro-Link, Inc.						
Address:	510 Chapman S	Street					
	Canton, MA 020)21					
Telephone:	(800) 745-4657						
-	• •	•	Information Se	•			
	SEC	TION II –	HAZARDOUS IN	GREDIENTS			
Ingredients Ethanol Propane Butane Dipropylene glycol Diethylene glycol monoethyl ethe Hexylene glycol Isopropanol Fragrance	CAS# 64-17-5 74-98-6 106-97-8 25265-71-8 er 111-90-0 107-41-5 67-63-0 Mixture	Wt% 1 - 5 10 - 30 10 - 30 10 - 30 1 - 5 5 - 10 5 - 10 10 - 30	ACGIH-TLV 1000 ppm TWA 2500 ppm TWA 1900 mg/m ³ TWA Not available 25 ppm TWA 25 ppm Ceiling 400 ppm TWA Not available	LC ₅₀ 31623 ppm 4 h, rat 280000 ppm 4 h, rat 658 mg/m ³ 4 h, rat Not available Not available Not available 16971 ppm 4 h, rat Not available	at	LD ₅₀ 7060 mg/kg Not availabl Not availabl 14800 mg/kg 5500 mg/kg 3700 mg/kg 4710 mg/kg Not availabl	e g oral, rat oral, rat oral, rat oral, rat
=			N III - PHYSICAL			:	
Boiling Point of Concent Pressure (can, kPa @ 21. Vapour Density (Air = 1): Solubility in Water: Insol Physical State: Aerosol (I Appearance; Odour: Cle	rate (°C): Not ava 1 °C): Not availa Not available uble Liquid) ar colourless spr	ailable able ay; pleasa	% Volatile (Evaporatio pH (100%): Viscosity: V	avity of Concen Wt %): Not availa n Rate (Ether = 7 Not available Water thin eshold (ppm): Not	trate (H able 1): Not ot availa	H₂O = 1): 0 available able).7
-	SECT	ION IV - I	FIRE AND EXPLO	DSION DATA			
	e aerosol by flam te (°C, TCC): <- roducts: May ir e (°C): Not appli chemical, foam, ontents under pre on if safe. Fire fi	e projection 20 nclude and icable alcohol for essure. Con ghters sho essure.	LEL: N d are not limited to pam, carbon dioxio ontainer may expl puld wear self-con could wear self-con I V - REACTIVITY	ot available o oxides of carbon de. ode with heat. Co tained breathing a DATA	UEL: n. pol conta apparat	Not availa ainers with us.	
= Conditions for Chemical Incompatible Materials:	Instability: Stat	ole.		=======		:	

Incompatible Materials: Caustics, acids, oxidizers.

Reactivity, and Under What Conditions: Aerosol containers are unstable at temperatures above 49°C. Hazardous Decomposition Products: May include and are not limited to oxides of carbon when heated to decomposition.

SECTION VI - TOXICOLOGICAL PROPERTIES

Route of Entry: Eye, Skin contact, Inhalation, Ingestion.

EFFECTS OF ACUTE EXPOSURE:

Eye: May cause irritation. **Skin:** May cause irritation.

Inhalation: Harmful. Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Ingestion: Harmful. May cause stomach distress, nausea or vomiting.

EFFECTS OF CHRONIC EXPOSURE:

Skin: Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Irritancy: Hazardous by WHMIS criteria.

Respiratory Tract Sensitization: No data available.

Carcinogenicity: Non-hazardous by WHMIS criteria.

Teratogenicity, Mutagenicity, Reproductive Effects: No data available.

Synergistic Materials: Not available.

SECTION VII- PREVENTATIVE MEASURES

Gloves: Not normally required.

Eye Protection: Not normally required.

Respiratory Protection: Not normally required if good ventilation is maintained.

Other Protective Equipment: As required by employer code.

Engineering Controls: General ventilation normally adequate.

Leak and Spill Procedure: Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

Waste Disposal: Review federal, provincial, and local government requirements prior to disposal. Do not puncture or incinerate container.

Storage and Handling Requirements: Keep out of reach of children. Store in a closed container away from incompatible materials. Avoid heat, open flame, and other sources of ignition in the use and storage of this product. Do not store at temperatures above 49°C.

SECTION VIII - FIRST AID

Eye: Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin: Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.

Ingestion: Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

SECTION IX - PREPARATION INFORMATION

Date:2002/08/01MSDS Prepared by:Dell Tech Laboratories Ltd.Telephone:1-519-858-5021

Disclaimer

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this form. If user requires independent information on ingredients in this or any other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (1-905-572-4400) or CSST in Montreal, Quebec (514-873-3990).