SUMMER GARDEN MB3000 - PL06786

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/25/2015 Version: 1.0

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: SUMMER GARDEN MB3000 - PL06786
Product code	: 1830280
SKU #	: FG480674
Use of the substance/mixture	ubstance or mixture and uses advised against : Aerosol For professional use only Air care products Odour agents
1.3. Details of the supplier of the safe	ety data sheet
Prolink 500 Chapman St Canton Canton, MA 02021 - USA	
1.4. Emergency telephone number	
Emergency number	: 24-Hour Emergency: 1- 800 -535- 5063
SECTION 2: Hazards identification	1
2.1. Classification of the substance o	
GHS-US classification	
Flam. Aerosol 1 H222 Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317 STOT SE 3 H335 Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS02 GHS07

: Danger

: H222 - Extremely flammable aerosol H315 - Causes skin irritation

Hazard statements (GHS-US)

Signal word (GHS-US)

Precautionary statements (GHS-US)

H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
P211 - Do not spray on an open flame or other ignition source
P251 - Pressurized container: Do not pierce or burn, even after use
P280 - Wear protective gloves
P302+P352 - If on skin: Wash with plenty of water
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing
P312 - Call a doctor if you feel unwell
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS No) 64-17-5	20 - 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS No) 107-41-5	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
HEXYL CINNAMAL	(CAS No) 101-86-0	1 - 10	Skin Irrit. 2, H315 Skin Sens. 1, H317
HYDROXYCITRONELLAL	(CAS No) 107-75-5	0,1 - 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS No) 6259-76-3	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	(CAS No) 127-51-5	0,1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS No) 106-22-9	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
AMYL CINNAMAL	(CAS No) 122-40-7	0,1 - 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
METHYLENEDIOXYPHENYL METHYLPROPANAL	(CAS No) 1205-17-0	0,1 - 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	(CAS No) 31906-04-4	0,1 - 1	Skin Sens. 1, H317
BENZYL SALICYLATE	(CAS No) 118-58-1	0,1 - 1	Skin Sens. 1, H317
LIMONENE	(CAS No) 5989-27-5	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. If skin irritation persists, take medical advice. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medic	al attention and special treatment needed

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed
	containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	easures
	equipment and emergency procedures
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
	· Equip cleanup grow with proper protection
Protective equipment Emergency procedures	: Equip cleanup crew with proper protection. : Ventilate area.
6.2. Environmental precautions	tify authorities if liquid onters source or public waters
	tify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and persor	nal protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precautions for safe handling	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure of	controls/personal protection		
8.1. Control parameters			
SUMMER GARDEN MB3000			
ACGIH	Not applicable		
OSHA	Not applicable		
LIMONENE (5989-27-5)	1		
ACGIH	Not applicable		
OSHA	Not applicable		
CITRONELLOL (106-22-9)	·		
ACGIH	Not applicable		
OSHA	Not applicable		
HEXYL CINNAMAL (101-86-	D)		
ACGIH	Not applicable		
OSHA	Not applicable		
BENZYL SALICYLATE (118-	58-1)		
ACGIH	Not applicable		
OSHA	Not applicable		
3-Methyl-4-(2.6.6-trimethyl-2	-cyclohexen-1-yl)-3-buten-2-one (127-51-5)	
ACGIH	Not applicable		
OSHA	Not applicable		
Alcohol (64-17-5)	1		
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
HEXYLENE GLYCOL (107-4	1-5)	1	
ACGIH	ACGIH Ceiling (ppm)	25 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	Not applicable		
HYDROXYCITRONELLAL (1	07-75-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
hexyl 2-hydroxybenzoate (6	250-76-3)		
ACGIH	Not applicable		
OSHA	Not applicable		
AMYL CINNAMAL (122-40-7			
ACGIH	Not applicable		
OSHA	Not applicable		
	METHYLPROPANAL (1205-17-0)		
ACGIH	Not applicable		
OSHA	Not applicable		
	LOHEXENE CARBOXALDEHYDE (31906-0	A-A)	
ACGIH	Not applicable		
05/01/2015	EN (English)		4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HYDROXYISOHEXYL 3-CYCLOH	EXENE CARBOXALDEHYDE (31906-04-4)
OSHA No	t applicable
3.2. Exposure controls	
Appropriate engineering controls	 Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and c	hemical properties
	sical and chemical properties
Physical state	: Liquid
Appearance	: Clear Transparent Liquid.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylaceta	tte=1) : No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4,5 - 5,5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0,7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
∕iscosity, kinematic	: No data available
∕iscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1,8 - 19 vol %
9.2. Other information	

No additional information available

OFOTION		
ISECTION '	10: Stability	and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5.	Incompatible materials
Oxidizin	g agent. Strong acids. Strong bases.
10.6.	Hazardous decomposition products
May rele	ease flammable gases. fume. Carbon monoxide. Carbon dioxide.
SECT	ION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
ATE US (oral)	7060,000 mg/kg bodyweight
hexyl 2-hydroxybenzoate (6259-76-3)	
LD50 oral rat	> 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
0	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	 Not classified Based on available data, the classification criteria are not met May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	2,38 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	17,48 mg/l IC50 algea (72 h) mg/l
HEXYL CINNAMAL (101-86-0)	
LC50 fish 1	1,7 mg/l
EC50 other aquatic organisms 1	> 0,32 mg/l EC50 waterflea (48 h)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	
HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	> 1000 mg/l	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
HYDROXYCITRONELLAL (107-75-5)		
EC50 other aquatic organisms 1	68 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	410 mg/l IC50 algea (72 h) mg/l	
AMYL CINNAMAL (122-40-7)		
LC50 fish 1	3 mg/l	
EC50 other aquatic organisms 1	1,89 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	1,1 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability

SUMMER GARDEN MB3000	
Persistence and degradability	Not established.

Alcohol (64-17-5)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

SUMMER GARDEN MB3000	
Bioaccumulative potential	Not established.
Alcohol (64-17-5)	

Alcohol (64-17-5)	
Bioaccumulative potential	Not established.

12.4.	Mobility in soil
	ional information evolution

12.5. Other adverse effects	
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal considerations	
40.4 Monte transfer out weath a de	

13.1. Waste treatment methods	
Waste disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	ion
In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
	. 011300 Actosols, 2.1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (DOT) Pepartment of Transportation (DOT) Hazard	: Aerosols : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Classes	
lazard labels (DOT)	: 2.1 - Flammable gas
OCT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
OT Packaging Exceptions (49 CFR 173.xxx)	: 306
OT Packaging Non Bulk (49 CFR 173.xxx)	: None
OT Packaging Bulk (49 CFR 173.xxx)	: None
OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	. 75 Kg
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 150 kg
OT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
OT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except
U U	Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
dditional information	
Other information	: No supplementary information available.
JDR	
ransport document description	: UN 1950 AEROSOLS, 2.1, (D)
Class (ADR)	: 2 - Gases
Classification code (ADR)	: 5F
anger labels (ADR)	: 2.1 - Flammable gases
unnel restriction code (ADR)	: D
Q	: 11
excepted quantities (ADR)	: E0
ransport by sea	
IN-No. (IMDG)	: 1950
roper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
ir transport	
IN-No. (IATA)	: 1950
roper Shipping Name (IATA)	: Aerosols, flammable
class (IATA)	: 2
ECTION 15: Regulatory information	
5.1. US Federal regulations	
LIMONENE (5989-27-5)	

CITRONELLOL (106-22-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYL CINNAMAL (101-86-0)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
BENZYL SALICYLATE (118-58-1)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
Alcohol (64-17-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
HEXYLENE GLYCOL (107-41-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
HYDROXYCITRONELLAL (107-75-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not listed on the United States SARA Section 313
hexyl 2-hydroxybenzoate (6259-76-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
AMYL CINNAMAL (122-40-7)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE (31906-04-4)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol 1 H222;H229

Aerosol 1H222;H229Skin Irrit. 2H315Eye Irrit. 2H319Skin Sens. 1H317Aquatic Chronic 3H412Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)

U.S. -New York - RTK list Hazardous Substances

HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

SECTION 16: Other information	
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAMER OF LIABILITY The information in this SDS was obtained

considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product