

`acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

1 Identification

- · Product Identifier
- · Product Name: Sedi-Stain
- · Catalog Number: 421571
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation In-vitro Diagnostics
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BD Diagnostic Systems 7 Loveton Circle Sparks, MD 21152 Telephone: (410) 771 - 0100 or (800) 638 – 8663 Email Address: Technical_Services@bd.com
 Information Department: Technical Service
- Emergency telephone number: In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- · Classification of the substance or mixture
- · <u>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</u>

X Xn; Harmful

R40-22: Limited evidence of a carcinogenic effect. Harmful if swallowed.

R10: Flammable.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- Labelling according to EU guidelines: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR), and the MSDS contains all of the information required by the CPR.
- · Code letter and hazard designation of product:



Xn Harmful

- Hazard-determining components of labeling: ethanol
- *Risk phrases:*40 Limited evidence of a carcinogenic effect.
 10 Flammable.

(Contd. on page 2)



Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 1) 22 Harmful if swallowed. · Safety phrases: Keep container tightly closed. 7 16 Keep away from sources of ignition - No smoking. 23 Do not breathe gas/fumes/vapour/spray. 36/37 Wear suitable protective clothing and gloves. This material and its container must be disposed of as hazardous waste. 60 Classification system · NFPA ratings (scale 0-4) Health = 0Flammability = 2Reactivity = 0 HMIS ratings (scale 0-4) HEALTH 0 Health = 0FIRE Flammability = 22 **REACTIVITY** \bigcirc **Reactivity** = 0 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixture

· **Description:** Mixture consisting of the following components.

· Dangerous Components:

64-17-5 ethanol

· Additional information Risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- After swallowing Immediately call a doctor.
- · Information for doctor Show this product label or this MSDS.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

FR10 10.0%



`acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 2)

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions: Wipe up with damp sponge or mop.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

(Contd. on page 4)



`acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 3)

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- 64-17-5 ethanol

EL (Canada (English)) 1000 ppm

| PEL (USA) | 1900 mg/m³, 1000 ppm |
|-----------|--|
| REL (USA) | 1900 mg/m³, 1000 ppm |
| TLV (USA) | 1900 mg/m³, 1000 ppm 1880 mg/m³, 1000 ppm |

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal Protective Equipment
- · General protective and hygienic measures
- Wash hands before breaks and at the end of work.
- · Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator. • **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

• Eye protection: Safety glasses

Tightly sealed goggles.

· Body protection: Protective work clothing (lab coat).

9 Physical and chemical properties

| uid ple aracteristic determined. |
|---|
| ple aracteristic |
| ple aracteristic |
| aracteristic |
| determined. |
| |
| +/- 0.1 |
| |
| determined |
| determined |
| (Contd. on page 5) |
| |



`acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

| | (Contd. of page |
|--|--|
| Flash point: | 52.2 °C |
| Flammability (solid, gaseous) | Not applicable. |
| Ignition temperature: | 425.0 °C |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not self igniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| Explosion limits: Lower: Upper: | 3.5 Vol % 15.0 Vol % |
| Density: Relative density Vapour density Evaporation rate | Not determined Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water: | Soluble |
| Partition coefficient (n-octanol/wa | ter): Not determined. |
| Viscosity: dynamic: kinematic: | Not determined. Not determined. |
| Solvent content: Organic solvents: Other information | 10.0 % No further relevant information available. |

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Incompatible material: strong oxidizers.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

CA



`acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

64-17-5 ethanol

Oral LD50 3450 mg/kg (MOU)

7060 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritating effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Other information:

The ecological effects have not been thoroughly investigated, but currently none have been identified.

- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation
 Must adhere to official regulations.
 Must not be disposed of with solid waste.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to state and federal regulations.

(Contd. on page 7)



Material Safety Data Sheet `acc. to ISO/DIS 11014

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

Date Prepared: 06/19/2013

(Contd. of page 6)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | |
|--|---|
| DOT, TDG, ADN, IMDG, IATA | Void |
| UN proper shipping name | |
| DOT, TDG, ADN, IMDG, IATA | Void |
| Transport hazard class(es) | |
| DOT, TDG, ADN, IMDG, IATA | |
| Class | Void |
| Packing group | |
| DOT, TDG, IMDG, IATA | Void |
| Environmental hazards: Marine pollutant: | No |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | t II of Not applicable. |
| Transport/Additional information: | Not dangerous according to the above specifications. |
| DOT | |
| Remarks: | 49CFR 173.150(e)(2) - States that aqueous solution of alcohol containing 24 percent or less alcohol by volume and no other hazardo material can be re-class as a combustible liquid and is not subject to the requirements. |
| IMDG Remarks: | IMDG Special Provision 144 - An aqueous solution containing not more than 24% alcoho by volume is not subject to the provisions of this code. |
| · IATA · Remarks: | IATA Special Provision A58 - Aqueous solutions containing 24% or less alcohol by volume is not subject to these regulations. |

(Contd. on page 8)



`acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 7)

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· TSCA (Toxic Substances Control Act)

- 7732-18-5 water
- 64-17-5 ethanol
- 477-73-6 safranin o
- 548-62-9 C.I. Basic Violet 3
- Canadian Substance Listing
- · Canadian Domestic Substance List (DSL)
- 7732-18-5 water
 - 64-17-5 ethanol
- 477-73-6 safranin o
- 548-62-9 C.I. Basic Violet 3
- · Canadian Ingredient Disclosure List (limit 0.1%)
 - 64-17-5 ethanol
 - 548-62-9 C.I. Basic Violet 3
- · Canadian Ingredient Disclosure List (limit 1%)
- None of the ingredients is listed.

· Product related hazard information:

This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR), and the MSDS contains all of the information required by the CPR.

· Hazard symbols:



Xn Harmful

- Hazard-determining components of labeling: ethanol
- · Risk phrases:
- 40 Limited evidence of a carcinogenic effect. 10 Flammable.
- 10 Fidililladie.
- 22 Harmful if swallowed.

Safety phrases:

- 7 Keep container tightly closed.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe gas/fumes/vapour/spray.
- 36/37 Wear suitable protective clothing and gloves.
- 60 This material and its container must be disposed of as hazardous waste.

(Contd. on page 9)

CA



acc. to ISO/DIS 11014

Date Prepared: 06/19/2013

Reviewed On: 06/19/2013

Product Name: Sedi-Stain

(Contd. of page 8)

· National regulations

- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing MSDS: Environmental, Health & Safety

Created by Michael J. Spinazzola

· Contact: Technical Service Representative