MATERIAL SAFETY DATA SHEET

HARRY J. BOSWORTH COMPANY 7227 North Hamlin Avenue Skokie, Illinois 60076-3999 Information Phone: 847.679.3400 Emergency Phone: 800.535.5053

PRODUCT: Fastray[™] Powder

DATE PREPARED: 4/3/14

HAZARDOUS COMPONENTS		
INGREDIENTS 1. Particulates N.O.R. 2. Benxoyl Peroxide 3. Pink Pigments (for pink shade) Blue Pigments (for blue shade) 4. Calcium Carbonate	PERCENTAGE 1. 60-100% 2. < 2% 3. 0.01-0.20% 4. < 40%	
COMMON NAMES AND SYNONYMS 1. Nuisance Dust 2. Dibenzoyl Peroxide 3. Cadmium Pigments (pink shade only) 4. Limestone	CAS NUMBER 1. N/E 2. 94-36-0 3. 12626-36-7 4. 1317-65-3	
PEL 1. 15 mg/m ³ (T), 5 mg/m ³ (R) 2. 5 mg/m ³ 3. 0.005 mg/m ³ 4. 15 mg/m ³ (T), 5 mg/m ³ (R)	UN NUMBER 1. N/A 2. 3102 3. N/A	
TLV 1. 10 mg/m ³ (T), 3 mg/m ³ (R) 2. 5 mg/m ³ 3. 0.05 mg/m ³ 4. 10 mg/m ³		

	-			
REACTIVITY DATA		FIRE AND EXPLOSION HAZARD DATA		
STABILITY Stable.		FLASH POINT 304°C (579°F)	LIMITS LEL N/D UEL N/D	
CONDITIONS TO AVOID Heating over 240°C.		EXTINGUISHING MEDIA Water, carbon dioxide, dry chemical		
HAZARDOUS DECOMPOSITION PRODUCTS Carbon monoxide, organic acids, aldehydes and alcohols.		SPECIAL FIREFIGHTING PROCEDURES Wear self-contained breathing apparatus.		
HAZARDOUS POLYMERIZATION Will not occur.				
CONDITIONS TO AVOID N/A		UNUSUAL FIRE AND EXPLOSION HAZARDS Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Fire fighters should wear self-contained		



PHYSICAL/CHEMICAL CHARACTERISTICS

MELTING POINT

VAPOR DENSITY

EVAPORATION RATE

SOLUBILITY IN WATER

(Butyl Acetate = 1)

(Air = 1)

N/D

N/D

Negligible

N/D

BOILING POINT

SPECIFIC GRAVITY

VAPOR PRESSURE

APPEARANCE/ODOR

faint odor when in bulk.

breathing apparatus

Fine blue/pink/white powder with

(Water = 1)

Approx. 1.82

N/D

N/D

HEALTH HAZARD DATA

CARCINOGENICITY Cadmium is listed as a suspected human carcinogen by IARC and NTP.	NTP See left.	
IARC See above.	OSHA REGULATED None known.	

EFFECTS & HAZARDS OF OVEREXPOSURE (ACUTE & CHRONIC)	PRE
EFFECTS & HAZARDS OF EYE CONTACT May be irritated by gross overexposure.	STEP OR S Swee
EFFECTS & HAZARDS OF SKIN CONTACT May be irritated by gross overexposure.	WAS
EFFECTS & HAZARDS OF INHALATION (BREATHING) Respiratory track may be irritated by gross overexposure	May t state,
to particulates. EFFECTS & HAZARDS OF INGESTION (SWALLOWING) No specific intervention is indicated.	PREC Hand Keep conta
OTHER REGULATORY INFORMATION California Proposition 65 Warning: This product may contain a chemical known to the state of California to cause cancer and/or reproductive toxicity.	OTHE This p It is th
CONTROL MEASURES	
RESPIRATORY PROTECTION Use specific type mask for particulates not otherwise classified.	This M OSHA be use is, to th
VENTILATION	HEAL
LOCAL EXHAUST VENTILATION Use if necessary.	SEVER
SPECIAL VENTILATION Use if necessary.	SERIO MODE
MECHANICAL (GENERAL) VENTILATION Use if necessary.	SLIGH
OTHER VENTILATION Open window if necessary.	REGUN/A
PROTECTION GLOVES Use if needed.	PROF N/A
EYE PROTECTION Safety glasses.	HAZA
OTHER PROTECTIVE EQUIPMENT N/A.	IDEN [®]
WORK & HYGIENIC PRACTICES Wash hands before eating and smoking and after use.	PACK N/A

EMERGENCY & FIRST AID PROCEDURES

TREATMENT FOR EYE CONTACT Immediately flush eyes with water, contact physician.

TREATMENT FOR SKIN CONTACT Wash skin with soap and water.

TREATMENT FOR INHALATION (BREATHING) Move to fresh air.

TREATMENT FOR INGESTION (SWALLOWING) Rinse mouth out with water.

CAUTIONS FOR SAFE HANDLING & USE

S TO BE TAKEN IF MATERIAL IS RELEASED PILLED ep up with sweeping compound. Avoid dusting.

TE DISPOSAL METHOD be disposed of in landfill or incinerated. Follow Federal, and local regulations for disposal.

CAUTIONS TO BE TAKEN IN HANDLING AND STORAGE lle with care. Store in cool, dry place tightly closed. container closed to prevent water absorption and amination.

ER PRECAUTIONS product is for professional use only as stated in directions. he responsiblity of the dentist to train personnel.

ADDITIONAL INFORMATION

ISDS was prepared in accordance with the requirements of the Hazard Communication Standard (29CFR 1910.1200) and is to ed only for this product. The information contained in this sheet he best of our knowledge, believed to be accurate.

HEALTH HAZARD INDEX	RATINGS
SEVERE HAZARD	1
SERIOUS HAZARD MODERATE HAZARD	2 3
SLIGHT HAZARD MINIMUM HAZARD	(4) 5
SHIPPING INFORMATION	
REGULATED IATA N/A	
PROPER SHIPPING NAME N/A	
HAZARD CLASS 4	
IDENTIFICATION NUMBER N/A	
PACKAGING GROUP N/A	
LABEL N/A	

To the best of our knowledge, the information contained herein is accurate. However, the Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.