

Dental Resources a Division of Keystone Industries
Manufacturer MSDS Number:

SECTION 1 : Chemical Product and Company Identification

MSDS Name: Proform/Xtra-Pro Mouthguard and Strap Attachment
Manufacturer Name: Dental Resources a Division of Keystone Industries
Address:
400 West Congress Street*
Maple Lake, MN 55358

Emergency Telephone: (800) 328-1276

Business Phone: (320) 963-6267
Business Fax: 320 963-2029
For information in North America, call: (320) 963-6267
Trade Names:

Proform / Xtra-Pro Mouthguard and Strap Attachment

Synonyms:

Proform / Xtra-Pro Mouthguard and Strap Attachment

Chemical Family: EVA

Comments:

This product does not contain latex.

Material safety data sheet Required under USDL Safety and Health
Regulations

Chemical name and synonyms: Ethylene-Vinyl Copolymer
Form OSHA - 20

SECTION 2 : Hazardous Ingredients/Identity Information

Chemical Name

Paints, Preservatives & Solvents

Pigments

Catalyst

Vehicle

Solvents

Additives

Others

Chemical Name

Alloys and metallic coatings

Base metal

Alloys

Metallic coatings

Filler metal plus Coating or core flux

Others

Chemical Name

Hazardous Mixtures of other Liquids, Solids or Gases: Vinyl Acetate CAS# 108-05-4

SECTION 3 : Physical And Chemical Characteristics

Physical State/Appearance:
Translucent sheets
Color:
Whitish; colorant is sometimes added
Vapor Pressure:
Not Applicable
Vapor Density:
(AIR=1): Not Applicable
Boiling Point:
deg F: Not Applicable
Solubility:
In water: Negligible
FlashPoint:
260 deg

SECTION 4 : Fire And Explosion Hazards

Fire:
Flammable Limits: Not Applicable
Flash Point:
260 deg
Flash Point Method:
COP
Extinguishing Media:
Water, Carbon Dioxide, Foam, Dry Chemicals
Fire Fighting Instructions:
The solid polymer can be combusted only with difficulty. Wear self contained breathing apparatus if exposed to fumes.
Unusual Fire Hazards:
None

SECTION 5 : Health Hazards

Applies to All Ingredients:
Potential Health Effects:
Skin Contact:
Molten materials can cause thermal burns
Not Applicable

SECTION 6 : Emergency And First Aid Procedures

Skin Contact:
If molten material comes in contact with skin, cool rapidly with running water. Do not attempt to remove the resin from thermal burns. Removal could result in severe tissue damage. Contact Physician

SECTION 7 : Reactivity Data

Chemical Stability:
Stable

Conditions to Avoid:
Temperatures above 230 deg C
Incompatibilities with Other Materials:
Strong acids and Oxidizing agents

Hazardous Polymerization:
Will not occur
Hazardous Decomposition Products:
Vinyl acetate, Acetic acid, CO, Hydrocarbons

SECTION 8 : Precautions For Safe Handling

Spill Cleanup Measures:
Pick up and dispose of properly

Storage:
Store at room temperature

Waste Disposal:
Landfill or incineration in compliance with all local, state and federal regulations

SECTION 9 : Control Measures

Local Exhaust:
Not required
Hand Protection Description:
Gloves: Recommended when hot.
Eye/Face Protection:
Not Applicable
Respiratory Protection:
None
Exposure Limits:
Threshold Limit Value: Not Applicable

SECTION 10 : Other Information

MSDS Author:
Vice President
Disclaimer:

Judgements as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Dental Resources extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such

information for application to purchaser's intended purposes or for consequences of its use.