

GraphLine Inc.[®]

1100 International Pkwy.
Suite 100 Sunrise FL 33323
800-998-3200

MATERIAL SAFETY DATA SHEET

IN CASE OF TRANSPORTATION EMERGENCY (Spill, Leak, Fire, Exposure, Accident)
Call CHEMTREC 1-800-424-9300 (24 Hour)

SECTION 1: IDENTIFICATION

Name: MITSUBISHI SLM-AC SILVERMASTER ACTIVATOR

Revision 11/4/2004

Product Number 6018608002

Size 1 GAL.

Formula: Aqueous Mixture

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

<u>C.A.S. #</u>	<u>INGREDIENTS</u>	<u>%</u>
111-41-1	AMINO-ETHYLETHANOLAMINE	1-5
1310-58-3	POTASSIUM HYDROXIDE	1-5
1310-73-2	SODIUM HYDROXIDE	1-5
7732-18-5	WATER	60-100
7757-83-7	Sodium Sulfite	5-10

<u>EXPOSURE LIMITS</u>	<u>OSHA</u>		<u>ACGIH</u>		<u>CANADA</u>	
	<u>TWA</u>	<u>STEL</u>	<u>TWA</u>	<u>STEL</u>	<u>TWA</u>	<u>STEL</u>
AMINO-ETHYLETHANOLAMINE	None	None	None	None	None	None
POTASSIUM HYDROXIDE	2 mg/m3	None	None	None	None	None
SODIUM HYDROXIDE	2 mg/m3	None	None	None	None	None
WATER	None	None	None	None	None	None
Sodium Sulfite	None	None	None	None	None	None

Source of Exposure Limit Data:

OSHA: Occupational Safety and Health Administration

ACGIH: American Conference of Governmental Industrial Hygienists

CANADA: Province of Alberta's Occupational and Health and Safety Act.

ADDITIONAL EXPOSURE INFORMATION

<u>CAS. NUMBER</u>	<u>SKIN DESIGNATION *</u>			<u>CARCINOGENS</u>			<u>PRIMARY HAZARD</u>	<u>IDLH (ppm)</u>
	<u>OSHA</u>	<u>ACGIH</u>	<u>CANADA</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>		
111-41-1	No	No	No	No	No	No	Not classified	None
1310-58-3	No	No	No	No	No	No	Sensory irritation	None
1310-73-2	No	No	No	No	No	No	Sensory irritation	250 mg/m3
7732-18-5	No	No	No	No	No	No	Not classified	None
7757-83-7	No	No	No	No	No	No	Not classified	None

* For substances designated as a 'Skin' hazard, protective measures are recommended to prevent or reduce skin absorption. These measures may include the use of gloves, aprons, goggles or other equipment, as well as engineering controls or work practices.

SECTION 3: HAZARDS IDENTIFICATION

EYES CONTACT:

May cause irritation or damage to tissue.

SKIN CONTACT:

May cause irritation.

INHALATION:

May cause irritation to nasal mucous membranes and respiratory tract.

INGESTION:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.-- Repeated ingestion may cause: Central Nervous System Effects: signs symptoms can include headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue, blurred vision, slurred speech, giddiness, tremors, convulsions.

H.M.I.S. CODES:**HEALTH:** 0**FIRE:** 0**REACTIVITY:****PROTECTION:** NONE**SECTION 4: FIRST AID MEASURES****EYE CONTACT:**

Immediately flush with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Contact physician immediately.(preferably an ophthalmologist)

SKIN CONTACT:

Rinse with copious amounts of water and/or wash with soap and water for 15 minutes. If irritation persists contact a physician.

INHALATION:

Remove victims to fresh air, if not breathing, have certified person administer CPR. Contact physician immediately.

INGESTION:

Administer 2-4 glasses milk or water. Contact physician or poison control center immediately.

SECTION 5: FIRE FIGHTING MEASURES

Flash point (F) : None **FLAMMABILITY LEL-** N/A **UEL-** N/A

Extinguishing media: Any applicable to primary cause of fire.

Special fire fighting procedures :

USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual fire and explosion hazards :

NONE

NATIONAL FIRE PROTECTION ASSOC. CODES**HEALTH:** 1**FIRE:** 0**REACTIVITY:** 0**SPECIAL:** NONE**SECTION 6: ACCIDENTAL RELEASE MEASURES****SPILL RESPONSE:**

Dike spill and soak up with sand or a commercially available acid spill kit. Sweep up absorbant and place in a hazardous waste container.

SECTION 7: HANDLING AND STORAGE

Store in well ventilated area. Keep container tightly closed. Remove and wash contaminated clothing immediately. Do not store near heat. Do not store food, drink, or tobacco in area where they may become contaminated with this material. Keep out of reach of children.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Avoid eye contact. Avoid skin contact. Wear impervious gloves (e.g. NBR), eye protection (e.g. NIOSH approved organic vapor/acid gas respirator) and other protective clothing as needed to prevent contact during handling, transferring, equipment cleanups and spill cleanups. Routinely wash hands, arms, and face with soap and water after handling. Keep container closed when not in use. Do not take internally.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling point (F) : 212
Melting point: N/A
Percent volatile by volume : 60-100
Evaporation rate: N/D (Water=1)
Specific gravity (water = 1) : 1.106
Appearance : Colorless to light tan.

Volatile Organic Compounds: 0
Vapor pressure: N/D
Vapor density: N/D
Solubility in water: COMPLETE
pH: 13.7
Odor: Odorless

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable
Hazardous polymerization: Will not occur
Incompatibility (materials to avoid): Strong acids and alkalies
Hazardous decomposition products: Carbon Monoxide, Carbon Dioxide

SECTION 11: DISPOSAL CONSIDERATIONS

Remove free liquid and dispose of in accordance with Federal, State, and local regulations.

SECTION 12: TRANSPORTATION INFORMATION

SHIPPING NAME: CORROSIVE LIQUID ,N.O.S. (SODIUM HYDROXIDE, POTASSIUMHYDROXIDE)

UN ID-#: 1760

PACKING GROUP: III

MAJOR CLASS: 8

PRIMARY LABEL: CORROSIVE

MINOR CLASS: N/A

SECONDARY LABEL: N/A

REMARKS: REGULATED MATERIAL

* Reference: CFR 49, Table 172.102 (highway)

SECTION 13: REGULATORY INFORMATION

<u>CAS. NUMBER</u>	<u>CERCLA</u>	<u>SARA-EHS</u>	<u>SARA-313</u>	<u>RCRA</u>	<u>CAL-PROP 65</u>	<u>N.J.</u>	<u>FLA.</u>
111-41-1	No	No	No	No	No	No	Yes
1310-58-3	Yes	No	No	No	No	Yes	Yes
1310-73-2	Yes	No	No	No	No	No	Yes
7732-18-5	No	No	No	No	No	No	No
7757-83-7	No	No	No	No	No	No	No

* Specific CAS Number references from these regulatory tables:

CERCLA: 40 CFR. Table 302.4

SARA-EHS: 40 CFR. 355 Appendices A B

SARA-313: 40 CFR. section 372.65

RCRA: 40 CFR. section 261.3

CAL-PROP 65: California Proposition 65, Developmental and Reproductiv

New Jersey Right to Know

Florida Right to Know

SECTION 14: OTHER INFORMATION

Comments: None

The data in this Material Safety Data form relates to the specific material designated herein and to the standard use of same in combination with other materials or processes. The hazards covered are believed to be those most likely to occur in the reasonable, contemplated, or ordinary use of these chemicals. No warranty is made or implied in respect of other hazards which may occur as a result of unreasonable, abnormal, or unusual usage, or non-standard application of these materials. The information accumulated herein is believed to be accurate, but GraphLine Inc. expressly denies any warranty to such effect. Customers or recipients are advised to confirm, in advance that the information is current, applicable and suitable to their circumstances. This information is furnished as a service only.