Electronics



FERRIC CHLORIDE

Quality System Certified to ISO 9001:2008

SAI Global File #004008 Burlington, Ontario, Canada

415-LIQUID

Safety Data Sheet

70125797

Section 1: Identification

Product Identifier and Other Means of Identification

Product Name: 415

Other Means of Identification: Ferric Chloride

Related Part # 415-500ML, 415-1L, 415-4L, 415-20L

Recommended Use and Restriction on Use

Use: Etchant for printed circuit boards and photoengraving processes

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer

MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

T

+1-800-340-0772

FAX

+1-800-340-0773

E-MAIL

support@mqchemicals.com

WEB

www.mgchemicals.com

MG Chemicals (Head Office)

9347-193 Street

Surrey, British Columbia V4N 4E7

CANADA

M

+1-905-331-1396

FAX

+1-905-331-2682

E-MAIL


info@machemicals.com

E-MAIL (Competent Person): sds@mgchemicals.com

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call CHEMTREC at +1-800-424-9300

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones



SAI Global File #004008 Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Section 2: Hazard(s) Identification

Classification of Hazardous Chemical

GHS Categories

Criteria	16 .416	Category	Signal Word	Pictograms
Eye Damage		1B	Danger	Corrosion
Corrosive to Metals		1	Warning	Corrosion
Skin Irritation	41 415-2	2	Danger	Exclamation
Acute Toxicity	Oral	4	Warning	Exclamation
Hazardous to the Aquatic Environment	Acute	3	none	none
		and the second second	8 2	A CONTRACTOR OF THE PARTY OF TH

Note: The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

Label Elements

Signal Word	DANGER	
Pictograms	Hazard Statements	
^	H318: Causes serious eye damage	
	H290: May be corrosive to metals	
	H315: Causes skin irritation	25.00
$\langle ! \rangle$	H302: Harmful if swallowed	
V	me" sampita	
Maria	H402: Harmful to aquatic life	Jan., A
No symbol mandated	etin deli pedili valgo el conserva	
	a congress original to reagon 1	



SAI Global File #004008 Burlington, Ontario, Canada

FERRIC CHLORIDE


415-LIQUID

Continued...

Prevention	Precautionary Statements	
P102	Keep out of reach of children.	
P234	Keep only in original packaging.	
P264	Wash thoroughly after handling.	
P280	Wear eye protection/face protection/protective gloves.	
P270	Do not eat, drink or smoke when using this product.	
P273	Avoid release to the environment.	
Response	Precautionary Statements	
P390	Absorb spillage to prevent material-damage.	
P305 + P351 + P338, P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
P302 + P352	IF ON SKIN: Wash with plenty of water.	
P332 + P313	If skin irritation occurs: Get medical advice/attention.	
P362 + P364	Take off all contaminated clothing and wash it before reuse.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P330	Rinse mouth.	
Storage	Precautionary Statements	
P406	Store in corrosion resistant container with a resistant inner lining.	
Disposal	Precautionary Statements	
P501	Dispose of contents/container in accordance to local/regional/international regulations.	

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Geotion 3. Composition/illiation on ingredients		
CAS#	Chemical Name	%(weight)
7705-08-0	iron trichloride (FeCl ₃)	37-42%

7647-01-0 hydrochloric acid 1.0%

7758-94-3 iron dichloride (FeCl₂) <1.0%

Section 4: First-Aid Measures

Exposure Condition	GHS-Code/Symptoms/Precautionary Statements		
IF IN EYES	P305 + P351 + P338, P310		
Immediate Symptoms	burns, severe irritation, redness, pain		
Response	Rinse cautiously with water for 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	Immediately call a POISON CENTRE/doctor		
IF ON SKIN Deuer stole	P302 + P352, P362 + P364, P332 + 313		
Immediate Symptoms	redness, pain, brown stain on skin		
Response	Wash with plenty of water.		
	If skin irritation occurs. Get medical advice/attention.		
stage inder Union	Take off immediately all contaminated clothing and wash it before reuse.		
IF INHALED	P304 + P340		
Immediate Symptoms	irritation, cough, sore throat		
Response	Remove person to fresh air (out of the contaminated zone) and keep comfortable for breathing.		
IF SWALLOWED	P301 + P312, P330		
Immediate Symptoms	abdominal pain, irritation, nausea, vomiting, diarrhea		
Response	Rinse mouth.		

If you feel unwell, call a POISON CENTRE/doctor.



SAI Global File #004008 Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Section 5: Fire-Fighting Measures

Extinguishing Media In case of fire: Use extinguishing media suitable for surrounding

material.

Specific Hazards Not flammable or combustible. Produces irritating and toxic

fumes in fires or in contact with hot surfaces.

Prolonged contact with metals in an enclosed space may

produce explosive quantities of hydrogen gas.

Combustion Products At high temperatures (>200 °C), toxic and corrosive gases

including chlorine, hydrogen chloride, and iron oxides are

formed.

Fire-Fighter Wear self-contained breathing apparatus and full fire-fighting

turn-out gear.

Section 6: Accidental Release Measures

Personal Protection See personal protection recommendations in Section 8.

Avoid breathing the mist/spray/fumes. Precautions for Response

Environmental Avoid releasing to the environment. Prevent spill from entering Precautions

drains and waterways. Do not flush to sewer.

Contain with inert and non-flammable absorbent (such as soil, Containment Methods

sand, vermiculite).

Neutralize with lime (Ca(OH)₂ or CaCO₃) or soda ash/sodium Cleaning Methods

carbonate (Na₂CO₃). Collect liquid in a plastic container. Wash spill area with soap and water to remove the last traces of

residue.

Dispose of spill waste according to Section 13. **Disposal Methods**



SAI Global File #004008 Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Section 7: Handling and Storage

Prevention Keep out of reach of children.

Keep only in original container.

Do not eat, drink or smoke when using this product.

Take off all contaminated clothing and wash it before reuse.

Avoid release to the environment.

Handling Wash thoroughly after handling.

Wear eye protection/face protection/protective gloves.

Storage Store in corrosion resistant container with a resistant inner

lining.

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
iron trichloride a)	ACGIH	1 mg/m³	Not established
(soluble iron salt)	U.S.A. OSHA PEL	1 mg/m ³	Not established
1 Julius 15% I flacilitatele	Canada AB	1 mg/m ³	Not established
	Canada BC	1 mg/m ³	Not established
manager and Arministra	Canada ON	1 mg/m ³	Not established
	Canada QC	1 mg/m ³	Not established
iron dichloride a)	ACGIH	1 mg/m ³	Not established
(soluble iron salt)	U.S.A. OSHA PEL	1 mg/m ³	Not established
	Canada AB	1 mg/m ³	Not established
	Canada BC	1 mg/m ³	Not established
	Canada ON	1 mg/m ³	Not established
	Canada QC	1 mg/m ³	Not established

Section continued on the next page

Page **6** of **15**



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Continued...

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
hydrogen chloride	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	Not established Not established Not established Not established Not established	2 ppm (Ceiling) 5 ppm (Ceiling) 2 ppm (Ceiling) 4.7 ppm (Ceiling) 4.7 ppm (Ceiling) 5 ppm (Ceiling)

Note: Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH¹, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS² database and from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Limit for iron salts, soluble as Fe

Engineering Controls

Ventilation

Keep airborne concentrations below the occupational exposure limits (OEL).

Personal Protective Equipment

Eye protection

Wear appropriate protective eyeglasses or chemical safety

goggles.

RECOMMENDATION: Ensure that glasses have side shields for

lateral protection.

Skin Protection

For likely contacts, use of protective butyl rubber or other

chemically resistant gloves.

For incidental contacts, use nitrile or other chemically resistant

gloves.

Respiratory Protection

For over-exposures up to 10 x OEL of mist/vapors/spray, wear respirator such as a half-mask respirator with organic vapor cartridges.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.

RECOMMENDATION: Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional. Ensure vapor cartridges are stored in sealed plastic bags when not being used.

Page 7 of 15



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.

Section 9: Physical and Chemical Properties

Physical State	Liquid	Lower Flammability Limit	Not applicable
Appearance	Clear,	Upper Flammability	Not
	dark red-brown	Limit	applicable
Odor	Slight acidic/iron	Vapor Pressure @20 °C	Negligible
Odor Threshold	Not avaliable	Vapor Density	1 (Air = 1)
pH	<2	Specific Gravity @25°C	1.38 - 1.49
Freezing/Melting	-50 °C	Solubility in	Soluble
Point	[-58 °F]	Water	
Boiling Point	110 °C	Partition	Not
	[230 °F]	Coefficient	available
Flash Point	Not	Auto-ignition	Not
	applicable	Temperature b)	available
Evaporation	>1	Decomposition	Not
Rate	(BuAc=1)	Temperature	available
Flammability	Not	Viscosity	Not
(solid, gas)	available	@25 °C	available

Section 10: Stability and Reactivity

Reactivity Reacts with metals and alkalis (bases).

Chemical Stability Chemically stable at normal temperatures and pressures

Conditions to Avoid extreme heat, open flames, and incompatible substances.

Avoid

Incompatibilities Alkali metals, allyl chloride, ethylene oxide, nylon, styrene, strong

oxidizing agents, strong bases

Polymerization Will not occur

Decomposition Will not decompose under normal conditions. For thermal

decomposition, see combustion products in Section 5.



SAI Global File #004008

415-LIQUID

Burlington, Ontario, Canada

FERRIC CHLORIDE

Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

Causes burns, severe irritation, redness, or pain. Eyes

Skin Causes redness, pain, or brown stain on skin.

Inhalation Inhalation of vapors or mist may cause irritation, coughing, or sore

throat.

Exposure to large doses of hydrogen chloride can cause cough,

labored breathing, and shortness of breath.

May cause severe irritation to the mouth, throat, esophagus, and Ingestion

stomach. In large doses, it may also cause abdominal pain, nausea,

vomiting, diarrhea.

Chronic No known effects

Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	essification (1 0001 11d. 13ed on availat le70 ata, 13		LC50
iron trichloride	316 mg/kg	Not	Not
	Rat	available	available
iron dichloride	300 mg/kg	2 000 mg/kg	Not
	Rat	Rat	available
hydrochloric acid	238—277 mg/kg	5 010 mg/kg	4.2 mg/L
	Rat	Rabbit ^{a)}	1 h Rat (gas)

Note: Toxicity data from the RTECS2 and ECHA databases were consulted. The data from supplier (M)SDSs were also consulted.

a) Monsanto reported value

Section continued on the next page

Page **9** of **15** Date: 04 January 2018 / Ver. 3.01



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Other Toxicological Effects

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Mixture causes severe eye damage.

Sensitization (allergic reactions)

Based on available data, the classification criteria are

not met.

Carcinogenicity (risk of cancer)

Not classified or listed as a carcinogen under IARC,

ACGIH, CA Prop 65, or NTP.

Mutagenicity

(risk of heritable genetic effects)

Based on available data, the classification criteria are

not met.

Reproductive Toxicity (risk to sex functions)

Based on available data, the classification criteria are

not met.

Teratogenicity

(risk of fetus malformation)

Based on available data, the classification criteria are

not met.

STOT-single exposure

Does not give rise to classification, because the concentration of hydrochloric acid is below the

concentration of hydrochloric acid is below

classification threshold.

STOT-repeated exposure

Based on available data, the classification criteria are

not met.

Aspiration hazard

Based on available data, the classification criteria are

not met.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (http://echa.europa.eu), and other reliable sources.

Iron trichloride is a category 3 acute aquatic pollutant with a LC50 48 h of 23 mg/L for Oryzias latipes; EC50 9.6 mg/L Daphnia magna (water flea).

Iron dichloride is a category 3 acute aquatic pollutant with a LC50 96 h of 46.6 mg/L for Oryzias latipes; EC50 19.0 mg/L Daphnia magna (water flea).

Hydrochloric acid is a category 2 acute aquatic pollutant with a LC50 24 h of 4 mg/L for Carassius auratus (goldfish); EC50 48 h of 1.5 mg/L Daphnia magna (water flea).



SAI Global File #004008 Burlington, Ontario, Canada

415-LIQUID

FERRIC CHLORIDE

Acute Ecotoxicity

Category 3

Harmful to aquatic life

Avoid release to the environment. Collect spillage

Chronic Ecotoxicity

Not available

Biodegradability

The content is not readily biodegradable.

Other Effects

Not available

Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

Section 14: Transport Information

Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); USA DOT 49 CFR (Parts 100 to 185) Regulations.

Sizes 5 L and under

Limited Quantity



Sizes greater than 5 L

UN number: UN2582

Shipping Name: FERRIC CHLORIDE


SOLUTION Class: 8

Packing Group: III Marine Pollutant: No



Section continued on the next page

Page **11** of **15**



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Air

Refer to ICAO-IATA Dangerous Goods Regulations.

Sizes 1 L and under

Limited Quantity



Sizes up to 5 L (Passenger), 60 L (Cargo)

UN number: UN2582

Shipping Name: FERRIC CHLORIDE

SOLUTION Class: 8

Packing Group: III Marine Pollutant: No

Special Provision: A803—Must use

Packing Group II packaging.



Sea

Refer to IMDG regulations.

Sizes 5 L and under

Limited Quantity



Sizes greater than 5 L

UN number: UN2582

Shipping Name: FERRIC CHLORIDE

SOLUTION

Class: 8

Packing Group: III Marine Pollutant: No



Note: Shipper must be appropriately trained and certified before involvement with the transport of dangerous goods.



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL/NDSL.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

USA

Other Classifications

HMIS® RATING

HEALTH:	2
FLAMMABILITY:	0
PHYSICAL HAZARD:	1
PERSONAL PROTECTI	ON:

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:
0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain ingredients that are listed as hazardous air pollutants.



SAI Global File #004008 Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product contains iron dichloride (CAS# 7758-94-3; reportable quantity = 100 lb), iron trichloride (CAS# 7705-08-0; reportable quantity = 1000 lb), and hydrochloric acid (CAS# 7647-01-0; reportable quantity = 5000 lb), which can be subject to the CERCLA reporting requirements.

This product does not contain ingredient listed in section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity, USA).

This product does not contain any listed substances in California.

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

Section 16: Other Information

SDS Prepared by

Michel Hachey

Date of Issue

04 January 2018

Supersedes

24 March 2016

Reason for Changes: Format changes in compliance with HCS2012 and WHMIS 2015.

Reference

- 1) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)
- 2) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).



SAI Global File #004008

Burlington, Ontario, Canada

FERRIC CHLORIDE

415-LIQUID

Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

GHS: Globally Harmonized System of Classification of Labeling of Chemicals

LC50 Lethal Concentration 50%

LD50 Lethal Dose 50%

N/A Not Applicable Not Estimated N/E

Permissible Exposure Limit PEL STEL Short-Term Exposure Limit

TWA Time Weighted Average Volatile Organic Content VOC

WEEL Workplace Environmental Exposure Levels

Technical Queries Contact us regarding any questions, improvement suggestions, or

problems with this product. Application notes, instructions, and FAOs

are located at www.mgchemicals.com.

Email: support@mqchemicals.com

Mailing Addresses Manufacturing & Support

1210 Corporate Drive

Burlington, Ontario, Canada

L7L 5R6

Head Office

9347-193rd Street Surrey, British Columbia, Canada

V4N 4E7

Disclaimer

This material safety data sheet is provided as an information resource only. M.G. Chemicals, Ltd. believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.