Ready-to-Use

330

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

MATERIAL SAFETY DATA SHEET

Copyright, 2000, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: COMMERCIAL CARE DIVISION

TRADE NAME:

3M Brand HEAVY DUTY MULTI-SURFACE CLEANER Ready-to-Use ...... (Product No. 2, Twist 'n Fill (tm) System)

SUPERSEDES: JULY 28, 1999 DOCUMENT: 06-2120-1

1. INGREDIENT	C.A.S. NO.		PERCENT	
WATER 1-METHOXY-2-PROPANOL ETHANOLAMINE	107-98-2	1	> -	90 5 5

NOTE: IN CASE OF EMERGENCY: THE NUMBERS AT THE TOP OF THIS PAGE PROVIDE 24 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT.

BOILING POINT:.... ca. 200 F VAPOR PRESSURE:..... N/D VAPOR DENSITY: ..... N/D EVAPORATION RATE: ca. 1 Water = 1
SOLUBILITY IN WATER: complete
SP. GRAVITY: ca. 1 Water = 1
PERCENT VOLATILE: > 95 % pH: .... ca. 10 VISCOSITY: .... < 100 ( 

# 3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: ca. 160 F T.C.C.
FLAMMABLE LIMITS - LEL: N/D
FLAMMABLE LIMITS - UEL: N/D
AUTOIGNITION TEMPERATURE: N/D EXTINGUISHING MEDIA:

Water spray, Carbon dioxide, Dry chemical, Foam, Alcohol-type foam SPECIAL FIRE FIGHTING PROCEDURES:
Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

331

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand HEAVY DUTY MULTI-SURFACE CLEANER Ready-to-Use ...... (Product No. 2, Twist 'n Fill (tm) System) PAGE: 2 of 5 3. FIRE AND EXPLOSION HAZARD DATA (continued) UNUSUAL FIRE AND EXPLOSION HAZARDS: No unusual fire or explosion hazards are anticipated. See Hazardous Decomposition section for products of combustion. NFFA HAZARD CODES: HEALTH: 1 FIRE: 2 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none

### 4. REACTIVITY DATA

STABILITY: Stable INCOMPATIBILITY - MATERIALS TO AVOID: None known. HAZARDOUS POLYMERIZATION: Will Not Occur HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide, Irritant Vapors or Gases.

OSHA FIRE HAZARD CLASS: Class IIIA Combustible Liquid

# 5. ENVIRONMENTAL INFORMATION

### SPILL RESPONSE:

Observe precautions from other sections. Ventilate area. Contain spill. Cover with absorbent material. Collect spilled material. Clean up residue with water. Place in a closed container.

### RECOMMENDED DISPOSAL:

Discharge spent solutions and small quantities (less than 5 gal.(19 L)) to a wastewater treatment system. Incinerate large quantities in an industrial or commercial incinerator.

A Product Environmental Data Sheet (PED) is available.

See MSDS for product concentrate.

### REGULATORY INFORMATION:

Volatile Organic Compounds: < 10 %. VOC Less H20 & Exempt Solvents: < 10 %.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

FIRE HAZARD: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

### 6. SUGGESTED FIRST AID

EYE CONTACT: Immediately flush eyes with large amounts of water. Get immediate medical attention.


Flush skin with large amounts of water. If irritation persists, get

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately









332

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

MATERIAL SAFETY DATA SHEET 3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

333

MATERIAL SAFETY DATA SHEET

3M

MSDS: 3M Brand HEAVY DUTY MULTI-SURFACE CLEANER Ready-to-Use (Product No. 2, Twist 'n Fill (tm) System)
MAY 30, 2000 PAGE: 3 of 5

6. SUGGESTED FIRST AID (continued)

medical attention.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

# 7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact. Avoid eye contact with vapor, spray, or mist.

SKIN PROTECTION:
Avoid skin contact.

**VENTILATION PROTECTION:** 

Use in a well-ventilated area. Use with adequate dilution ventilation.

RESPIRATORY PROTECTION:

Avoid breathing of vapors, mists or spray.

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating.

RECOMMENDED STORAGE:

Store away from heat. Keep container in well-ventilated area.

FIRE AND EXPLOSION AVOIDANCE:

Keep container tightly closed.

OTHER PRECAUTIONARY INFORMATION:

NOTE: The above precautionary information presumes that this ready-touse product has been diluted and dispensed from a TWIST'n FILL (tm) Chemical Dispenser.

HMIS HAZARD RATINGS: HEALTH: 0 FLAMMABILITY: 2 REACTIVITY: 0 PERSONAL PROTECTION: X (See precautions, section 7.)

EXPOSURE LIMITS

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand HEAVY DUTY MULTI-SURFACE CLEANER Ready-to-Use (Product No. 2, Twist 'n Fill (tm) System)
MAY 30, 2000 PAGE

PAGE: 4 of 5

7. PRECAUTIONARY INFORMATION (continued)

EXPOSURE LIMITS								
INGREDIENTS	VALUE	UNIT	TYPE	AUTH	SKIN*			
1-METHOXY-2-PROPANOL	150	ppm	STEL	ACGIH				
1-METHOXY-2-PROPANOL	100	ppm	TWA	OSHA				
1-METHOXY-2-PROPANOL	150	ppm	STEL	OSHA				
ETHANOLAMINE		D-ID m	TWA	ACGIH				
ETHANOLAMINE		PPm	STEL	ACGIH				
ETHANOLAMINE	3	ppm	TWA	OSHA				
ETHANOLAMINE	6	ppm	STEL	OSHA				
ETHANOLAMINE	6	mg/m3	TWA	OSHA				

\* SKIN NOTATION: Listed substances indicated with "Y" under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration

- NONE: None Established

### 8. HEALTH HAZARD DATA

EYE CONTACT:

Mild Eye Irritation: signs/symptoms can include redness, swelling, pain, and tearing.

SKIN CONTACT:

Mild Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, and itching.

May be absorbed through the skin and produce effects similiar to those caused by inhalation and/or ingestion.

INHALATION:

Single overexposure, above recommended guidelines, may cause:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

# 2 Ready-to-Use

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

334

MATERIAL SAFETY DATA SHEET

SIM

MSDS: 3M Brand HEAVY DUTY MULTI-SURFACE CLEANER Ready-to-Use (Product No. 2, Twist 'n Fill (tm) System)
MAY 30. 2000 PAGE:

PAGE: 5 of 5

8. HEALTH HAZARD DATA

(continued)

vomitus, and blood in feces.

The real rowers comment of the states in an amount of the real rowers of the states of

လည်း (၂၈၂) အနေ့ အေရန်းကို ရေးသည်တို့အရ (၂၉၁၄) သည် မြောက်သည် မှ သို့မှာ ရေးသည် အနေ့ အနေ့ ရေးသည်တို့အရ (၂၉၁၄) သည် မြောက်သည် (၂၈၂၈) သည် (၂၈၂၈)

Aspiration Pneumonitis: signs/symptoms can include coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.

SECTION CHANGE DATES

HEADING

SECTION CHANGED SINCE JULY 28, 1999 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that Oan affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

(5)