



**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

<b>PRODUCT NAME:</b> H2ORANGE2 GROUT SAFE CONCENTRATE		<b>DATE:</b> October 28, 2011	
<b>PRODUCT NUMBER:</b> 130			
TRADE NAME: H2Orange2 Grout Safe GENERAL USE: Grout and Floor Renovater CHEMICAL FAMILY: Oxygenating Cleaner PRODUCT DESCRIPTION: Orange, clear liquid with citrus odor.			
<b>MANUFACTURER:</b> <b>EnviroX LLC</b>		<b>DATE PREPARED:</b> October 28, 2011	
		<b>SUPERSEDES:</b> March 8, 2011	
<b>ADDRESS (NUMBER, STREET, P.O. BOX)</b> P.O. Box 2327, 1938 E. Fairchild St.		<b>TELEPHONE NUMBER FOR INFORMATION / Customer Service</b> 1-217-442-8596	
<b>(CITY, STATE AND ZIP CODE)</b> Danville, IL. 61834-2327		<b>COUNTRY</b> USA	
		<b>CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER</b>  1-800-255-3924      1-813-248-0585 North America Toll Free      International	

**SECTION 2 - HAZARDOUS INGREDIENTS**

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Hydrogen Peroxide	2-6	7722-84-1	231-765-0	None	None

Notes: All SARA Title III materials have been reported. All ingredients contained in this formula are listed on the Toxic Substances Control Act (TSCA) Chemical Inventory. **Proprietary non-hazardous ingredients not listed.**

**SECTION 3 - HAZARDS IDENTIFICATION**

<b>INHALATION:</b> Not expected to be a significant route of exposure. Inhalation of mists may cause mild irritation.
<b>SKIN:</b> May cause minor to moderate skin irritation with dryness & stinging; this is more likely from prolonged or multiple exposures.
<b>EYES:</b> May cause mild to moderate eye irritation from splashing or contact with mists.
<b>INGESTION:</b> May cause stomach upset, including vomiting and/or nausea. Product is only mildly toxic by ingestion.
<b>CARCINOGENICITY:</b> NTP? NO                                      IARC MONOGRAPHS? NO                                      OSHA REGULATED? NO CALIFORNIA, Prop.65?      NO

**SECTION 4 - FIRST AID MEASURES**

<b>INHALATION:</b> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-mouth, if possible. Call a poison control center or doctor for further treatment advice.
<b>EYES:</b> Hold eye open and rinse slowly and gently with potable water or eye wash solution for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>SKIN:</b> Remove contaminated clothing. Rinse skin immediately with plenty of water. Seek medical attention for severe/persistent cases.
<b>INGESTION:</b> <b>Call poison control center (Toll-Free at 1-800-222-1222 within the USA) or doctor immediately for treatment advice.</b> Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**SECTION 5 - FIRE FIGHTING MEASURES**

<b>GENERAL HAZARDS:</b> Doesn't support sustained combustion per ASTM Test D-4206 testing at 120°F. Classified as a non-combustible mixture under 49 CFR 173.120(b)(3). Product may be considered non-flammable / non-combustible.
<b>EXTINGUISHING MEDIA:</b> Carbon Dioxide or Dry Chemical - choose extinguishing media to fight surrounding fire.
<b>FIRE FIGHTING PROCEDURES:</b> Firefighters should wear self-contained breathing apparatus and turn-out gear when fighting any chemical fire.
<b>UNUSUAL FIRE AND EXPLOSION HAZARDS:</b> None applicable.
<b>HAZARDOUS COMBUSTION PRODUCTS:</b> None known.

# MATERIAL SAFETY DATA SHEET

**PRODUCT NAME:** H2ORANGE2 GROUT SAFE CONCENTRATE  
**PRODUCT NUMBER:** 130 **DATE:** October 28, 2011

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

Do not flush large quantities of material into sewers or bodies of water. Use absorbent to trap spilled material, then place in waste container. Small spills (less than a gallon) can be flushed into a sanitary sewer with plenty of water.

## SECTION 7 - HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:**

Store indoors; Store below 95°F, avoiding temperature extremes. Do not store with incompatible materials (see Section 10).

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH		OSHA	
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	TWA ppm	PEL mg/m3
<b>Hydrogen Peroxide</b>	<b>1</b>	<b>1.4</b>	<b>75 IDLH</b>		<b>1</b>		<b>1</b>	<b>1.4</b>

### PERSONAL PROTECTION

**RESPIRATORY PROTECTION:**

Local Exhaust Ventilation is OK. NIOSH/OSHA approved respirators may be used if respiratory irritation occurs.

**PROTECTIVE GLOVES:**

Impervious protective gloves are recommended - especially for sustained contact. Neoprene is a good choice for glove material.

**EYE PROTECTION:**

f

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:**

Not generally required. An impervious apron is suggested for situations where a splash hazard exists.

**WORK / HYGIENIC PRACTICES:**

Wash hands with soap and water after contact. Use emollient cleanser for mild dryness of skin.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE AND ODOR</b> Orange, clear liquid with citrus odor.	<b>VAPOR PRESSURE</b> NE
pH 4.5 ± 0.5%	<b>SPECIFIC GRAVITY (WATER = 1)</b> >1
<b>BOILING POINT / BOILING RANGE</b> 212°F	<b>SOLUBILITY IN WATER</b> Completely Soluble.
<b>FLASH POINT</b> 147°F (PMCC) (non-combustible per 49CFR173.120(b)(3))	<b>VISCOSITY</b> NA
<b>FLAMMABLE LIMITS</b> LEL: NA UEL: NA	<b>VAPOR DENSITY (AIR = 1)</b> NA
<b>AUTOIGNITION TEMPERATURE</b> NA	<b>EVAPORATION RATE (WATER = 1)</b> NA

## SECTION 10 - STABILITY AND REACTIVITY

STABILITY	STABLE	X	<b>CONDITIONS TO AVOID:</b> Temperature Extremes
-----------	--------	---	---

**INCOMPATIBILITY (MATERIALS TO AVOID):**

Strong oxidizers, permanganates, reducing agents, acids.

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:**

None known

**HAZARDOUS POLYMERIZATION:**

Will not occur.

**CONDITIONS TO AVOID:**

None related to polymerization.

## SECTION 11 - TOXICOLOGICAL INFORMATION

Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
<b>Hydrogen Peroxide</b>	7722-84-1 231-765-0	Oral, rat: LD50 = 376 mg/kg; Oral, mouse: LD50 = 2000 mg/kg	Inhalation, rat: LC50 = 2000 mg/m3

## SECTION 12 - ECOLOGICAL INFORMATION

No ecological information is available for this blended product; it is known to be biodegradable, however, based on the ingredients used in its manufacture. Product contains no Priority Pollutants under the Clean Water Act.

# MATERIAL SAFETY DATA SHEET

**PRODUCT NAME:** H2ORANGE2 GROUT SAFE CONCENTRATE  
**PRODUCT NUMBER:** 130 **DATE:** October 28, 2011

## SECTION 13 - DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:**  
 Biodegradable product may be flushed to sewage treatment facility (in small quantities - see Section 6) or landfill. Dispose of container according to State, Federal and Local laws.

## SECTION 14 - TRANSPORT INFORMATION

**PROPER SHIPPING NAME:** **Cleaning Solution not regulated.**

<b>DOT HAZARD CLASS / Pack Group:</b> <b>Not regulated</b>	<b>IATA HAZARD CLASS / Pack Group:</b> <b>Not regulated.</b>
<b>REFERENCE:</b> <b>None</b>	<b>IMDG HAZARD CLASS:</b> <b>Not regulated</b>
<b>UN / NA IDENTIFICATION NUMBER:</b> <b>None</b>	<b>RID/ADR Dangerous Goods Code:</b> <b>None</b>
<b>LABEL:</b> <b>None</b>	<b>UN TDG Class / Pack Group:</b> <b>NA</b>
<b>HAZARD SYMBOLS:</b> None	<b>Hazard Identification Number (HIN):</b> <b>None</b>

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

## SECTION 15 - REGULATORY INFORMATION

**TSCA (USA - Toxic Substance Control Act):** All components are listed.  
**SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):**  
 Acute Health: **Yes** Chronic Health: **No**  
 Fire: **No** Sudden Release of Pressure: **No**  
 Reactive: **No**

**313 REPORTABLE INGREDIENTS:** **None**  
**CERCLA (USA - Comprehensive Response Compensation and Liability Act):** **No reportable ingredients**  
**California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986:** **No reportable ingredients**  
**CPR (Canadian Controlled Products Regulations):** **No WHMIS warnings required.**  
**IDL (Canadian Ingredient Disclosure List):** **Listed.**  
**DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List):** **Listed on DSL.**  
**WGK Water Quality Index:** **1**

## SECTION 16 - OTHER INFORMATION

**Legend:** NA=Not Available, NE= Not Established, ND= Not determined, C= Carcinogen, NTP= National Toxicology Program.

<b>HMIS HAZARD RATINGS</b>	<b>HEALTH:</b> <b>1</b> <b>FLAMMABILITY:</b> <b>0</b> <b>PHYSICAL HAZARD:</b> <b>0</b> <b>PERSONAL PROTECTIVE EQUIPMENT:</b> <b>B*</b>	<b>0 = INSIGNIFICANT</b> <b>1 = SLIGHT</b> <b>2 = MODERATE</b> <b>3 = HIGH</b> <b>4 = EXTREME</b>
----------------------------	---	---

*\*Gloves and Safety Glasses are recommended but not required*

**REVISION SUMMARY:**  
 Revised to ANSI. protocols 10/28/2011 supersedes 3/8/2011 issue.LB

**MSDS Prepared by:**  
 ChemTel Inc.  
 1305 North Florida Avenue  
 Tampa, Florida USA 33602-2902  
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
 Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.