

Patterson Companies, Inc.
Manufacturer MSDS Number: HMIS
HEALTH1
FIRE0
REACTIVITY0
PPE0

Patterson Dental Supply Product Code:
70888537

SECTION 1 : Chemical Product and Company Identification

MSDS Name: Teledyne Water Pik Prophylaxis Paste With Fluoride
Manufacturer Name:Patterson Companies, Inc.

Address:
1031 Mendota Heights Road
St. Paul, MN 55120

Contact Phone- 800.424.9300

Business Phone:(716)-597-0214, 1-800-890-7935
Business Fax: 716-597-0217
For information in North America, call: (716)-597-0214, 1-800-890-7935

Trade Names:
Teledyne Water Pik TM
Prophylaxis Paste
HMIS

Health Hazard: 1
Fire Hazard: 0
Reactivity: 0
Personal Protection: 0

Distributor Name: Patterson Companies, Inc.

Hazard Rating:
4 = Extreme
3 = High
2 = Moderate
1 = Slight
0 = Insignificant

FN COPPP PO400
Product Codes:
54111-2A

SECTION 2 : Hazardous Ingredients/Identity Information

Chemical Name

Sodium Fluoride in phosphate mixture Percent
1.23%

SECTION 3 : Physical And Chemical Characteristics

Does not apply

SECTION 4 : Fire And Explosion Hazards

Fire:
Does not apply

SECTION 5 : Health Hazards

Sodium Fluoride in phosphate mixture:

Route of Exposure:
 Inhalation: Not applicable
Skin: Not applicable
Ingestion: Yes
Potential Health Effects:
 Acute: Not applicable
Chronic Health Effects:
 Not applicable
Carcinogenicity:
 Monographs: Not applicable
Signs/Symptoms:
 Not applicable

SECTION 6 : Emergency And First Aid Procedures

Eye Contact:
 Flush with water. If irritation persists, contact physician.
Ingestion:
 Induce vomiting, consult physician.

SECTION 7 : Reactivity Data

Chemical Stability:
 Stable
Conditions to Avoid:
 Not applicable
Incompatibilities with Other Materials:
 Material to avoid: Not applicable
Hazardous Polymerization:
 Not applicable
Hazardous Decomposition Products:

Not applicable

SECTION 8 : Precautions For Safe Handling

Ignitable (Yes/No): No

SECTION 9 : Control Measures

SECTION 10 : Other Information

HMIS:

Health Hazard: 1
Fire Hazard: 0
Reactivity: 0
Personal Protection: 0

Label Text:

Teledyne water Pik-Prophylaxis Paste combines a variety of cleaning and polishing ingredients to provide an ideal product for professional use during dental hygiene procedures.

Contains 1.23% Sodium Fluoride in a Phosphate mixture
Prophylaxis pastes with fluoride are not considered a substitute for other forms of fluoride treatment.

Caution: United States Federal law restricts this device to sale by or on the order of a dentist.

Convenient Packaging:

Teledyne Water Pik-Prophylaxis Paste is conveniently packaged in boxes of 200 individual unit cups.

Administration:

Teledyne Water Pik(TM) Prophylaxis Paste is to be used by persons professionally trained to perform dental prophylaxis.

An individual unit of Teledyne Water Pik(TM) Prophylaxis Paste contains sufficient paste for one (1) prophylaxis procedure.

Using a prophy angle with prophy cup attached, fill the cup with paste, establish a firm finger rest, and bring the cup almost in almost in contact with the tooth surface before operating the angle.
With the angle at slow speed, proceed with prophylaxis. Maintain a quick light touch so the edges of the cup flair slightly, continually moving from tooth to tooth to prevent excessive friction and heat.
Replenish the supply of paste in the cup as needed.
Evacuate saliva to avoid dilution and swallowing of prophy paste.
After such procedure, dispose of the cup.

Caution:

Excessive ingestion of fluoride can cause nausea. Prophylaxis paste with fluoride should be expectorated, not swallowed.

Hazard Rating:

4 = Extreme

3 = High

2 = Moderate

1 = Slight

0 = Insignificant

Abbreviations:

N/A = Not applicable