



MATERIAL SAFETY DATA SHEET

Section I - Identification

Manufacturer AGS Company(American Grease Stick Co.) Phone 616-733-2101  
2651 Hoyt Street  
Muskegon Hts., MI 49444

Trade Name STORE IT...START IT Gas Stabilizer (Cat. No. GS-7)

Common Name Gas Stabilizer Chemical Family Mixture

Section II - Hazardous Ingredients

	<u>Hazardous Ingredient</u>	<u>CAS No.</u>	<u>Wgt. %</u>	<u>TLV</u>
1.	Xylene	1330-20-7	60-75%	100 ppm (PEL)
2.	Diacetone Alcohol	123-42-2	30-45%	50 ppm (PEL)
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				

Section III - Physical Data

Ph as Supplied Not Determined Boiling Point Approx. 290°F.

Ph - Diluted Not Applicable % Volatiles 99

Water Solubility Insoluble Vapor Press 5.2 mmHg

Specific Grav. (H<sub>2</sub>O=1) 0.9 Vapor Density (Air=1) 4.0

Melt Point Not Applicable Evap. Rate NOT Determined

Appearance Clear rose colored liquid, characteristic odor.

Issue Date 11/14/85

Product - STORE IT...START Gas Stabilizer  
(GS-7)

Section IV - Fire & Explosion Data

Flash Pt. 77°F. Method T.C.C.

Auto Ignition Temp. 869°F.

Flammable Limits LEL 1.0 UEL 6.9

Extinguishing Media Foam, dry chemical, carbon dioxide and water fog.

Special Procedures Use self-contained breathing apparatus.

Unusual Hazards Vapors are heavier than air and may accumulate in low areas.

Section V - Reactivity Data

Unstable Conditions and Auto Reactive Stable

Incompatible Materials Strong oxidants, amines, ammonia and organic acids.

Hazardous Decomposition Products Oxides of carbon.

Section VI - Emergency First Aid

Eyes Flush with water for at least 15 minutes. Get medical attention.

Skin Wash with soap and water. Remove contaminated clothing. If adverse effects occur consult a physician.

Ingestion Do not induce vomiting. Get immediate medical attention.

Inhalation Remove person to fresh air. Administer oxygen or artificial respiration as required. Consult a physician.

Issue Date 11/14/85

Product - STORE IT...START IT Gas Stabilizer  
(GS-7)

Section VII - Health Effects

Eyes May cause irritation.

Skin May cause irritation and dermatitis. Chemical trapped by clothing may  
cause severe irritation. May be absorbed through the skin.

Inhalation May cause irritation or impaired consciousness.

Ingestion May cause nausea, vomiting and abdominal pain. May adversely  
effect the CNS.

Other Effects Long term exposure can lead to liver damage. Aspiration of  
material into lungs may cause chemical pneumonitis.

Section VIII - Ventilation and Protective Measures

Ventilation Requirements Suitable to maintain vapor concentration below TLV.

Protective Equipment

Respiratory Wear a NIOSH-approved respirator where TLV is exceeded or unknown.

Eye Chemical splash goggles preferable. Safety glasses with  
side shields acceptable.

Gloves Chemical resistant

Other Eye wash in area.

Issue Date 11/14/85

Product - STORE IT...START IT Gas Stabilizer  
(GS-7)

Section IX - Storage and Handling Procedures

Conditions to Avoid Avoid excess heat and ignition sources.

Other Precautions None

Section X - Spill Procedures and Waste Disposal

Accidental Release or Spill Procedures Remove ignition sources, absorb on  
inert material and place in appropriate container.

Waste Disposal Method Not Determined

Special Restrictions on Waste Disposal Removal by an approved, licensed  
waste hauler.

Approved By Cluedi Hillerma

Issue Date 11/14/85

The Information Herein Is Given In Good Faith, But No Warranty,  
Expressed Or Implied, Is Made.